

## 2.0 DEFINITIONS

<b>As-built</b>	Refers to a survey or drawing of the actual assets that have been constructed, recognising that they can sometimes vary from what was planned before work started on site. As-built drawings are needed to ensure that asset information systems contain data on the asset as it has been constructed, not how it was planned in theory.
<b>Community Outcomes</b>	Under section 5 of the Local Government Act 2002, a community outcome "means the outcomes for that district or region that are identified as priorities for the time being". Community outcomes are what New Zealanders want for their local community, now and in the future. Assets have a role in supporting the achievement of those aims.
<b>Critical Assets</b>	Those assets with a high consequence of failure. They are often found as part of a network, in which, for example, their failure would compromise the performance of the entire network.
<b>Development Contributions</b>	Funds paid, typically by developers, to local authorities to help with the cost of growth. These contributions are authorised by Part 8 of the Local Government Act 2002.
<b>IP</b>	Ingress protection is the degree of protection provided by the product enclosure. In many cases, the level of protection provided by the enclosure is marked on the product in the form of an "IP" code.
<b>Drinking Water Assessor</b>	Officer(s) appointed by the Director-General of Health to act as assessors to determine compliance with the Health and Drinking Water Amendment Act.
<b>DVGW</b>	<a href="http://www.dvgw.de">DVGW CERT GmbH</a> is the largest gas and water industry certification body in Europe, covering all the certification procedures required in the gas and water sectors. Ref: <a href="http://www.dvgw.de">http://www.dvgw.de</a>
<b>TCLP</b>	The <b>TCLP</b> or Toxicity Characteristic Leaching (not Leachate) Procedure is designed to determine the mobility of both organic and inorganic analytes present in liquid, solid, and multiphasic wastes. The TCLP analysis simulates landfill conditions. Over time, water and other liquids percolate through landfills. The percolating liquid often reacts with the solid waste in the landfill, and may pose public and environmental health risks because of the contaminant it absorbs. The TCLP analysis determines which of the contaminants identified by the United States Environmental Protection Agency (EPA) are present in the leachate and their concentrations.
<b>Track 24 Vested Assets</b>	A financial software tool Assets that are transferred to a public entity at nominal or zero cost. Typically, this might result from a situation where a developer has installed assets as part of developing a site and passes them to a public entity to manage, maintain, and deliver services through. The fair value of these assets has to be determined as they are integrated into the organisation's asset information system so that they can be appropriately managed.

### 3.0 ACRONYMS / ABBREVIATIONS

<b>AM</b>	Asset Manager
<b>AMP</b>	Asset Management Plan
<b>AMS</b>	Asset Management System
<b>Audit</b>	Audit New Zealand
<b>CAPEX</b>	Capital Expenditure
<b>CAP</b>	Capital Assistance Program
<b>CEO</b>	Chief Executive Officer
<b>CIP</b>	Cleaning in Place
<b>CISP</b>	Commercial & Industrial Structure Plan
<b>Council</b>	Taupo District Council
<b>DC</b>	Development Contribution
<b>DWSNZ</b>	Drinking Water Standards New Zealand
<b>DWA</b>	Drinking Water Assessor
<b>DIN</b>	Deutsches Institut für Normung e.V. (DIN; in English, the German Institute for Standardization)
<b>ES</b>	Environmental Services Group at Taupo District Council
<b>EW</b>	Environment Waikato (Waikato Regional Council)
<b>FDA</b>	U.S. Food & Drug Administration
<b>GFA</b>	Gross Floor Area
<b>GIS</b>	Geographical Information System
<b>GMS</b>	Growth Management Strategy
<b>IPG</b>	Infrastructure and Parks Group at Taupo District Council
<b>LDS</b>	Land Disposal Site
<b>LGA</b>	Local Government Act
<b>LoS</b>	Level of Service
<b>LTP</b>	Long Term Plan (Council's ten year planning document formerly the Long Term Council Community Plan – LTP)
<b>MAV</b>	Maximum Acceptable Value
<b>MoH</b>	Ministry of Health
<b>OPEX</b>	Operational Expenditure
<b>PHRMP</b>	Public Health Risk Management Plan
<b>POU</b>	Point of use
<b>PRAMP</b>	Property Asset Management Plan
<b>RMA</b>	Resource Management Act
<b>RPS</b>	Environment Waikato Regional Policy Statement
<b>SAMP</b>	Solid Waste Asset Management Plan
<b>SLG</b>	Senior Leadership Group (CEO, 2 <sup>nd</sup> Tier Managers and selected 3 <sup>rd</sup> Tier Managers)
<b>SMP</b>	Stormwater Management Plan
<b>SWAMP</b>	Stormwater Asset Management Plan
<b>T24</b>	Track 24
<b>TDC</b>	Taupo District Council
<b>TRAMP</b>	Transportation Asset Management Plan
<b>UVT</b>	Ultra Violet Ray Transmittance (UV Transmittance)
<b>WAMP</b>	Water Asset Management Plan
<b>WDMP</b>	Water Demand Management Plan
<b>WINZ</b>	Water Information New Zealand
<b>WSP</b>	Water Safety Plan (formerly PHRMP)
<b>WTP</b>	Water Treatment Plant
<b>WW</b>	Wastewater
<b>WWAMP</b>	Wastewater Asset Management Plan
<b>WWTP</b>	Wastewater Treatment P